

## Carboni II

### Vitreous China Wall Basin


Basin Size: 415mm x 415mm (nominal)



Mixer is shown for photographic purposes only

The **Carboni II** wall basin offers a contemporary square style with distinctive clean lines. This range adds timeless sophistication in any bathroom. The basin is suitable for domestic, commercial and accessible applications & complying to AS 1428.1-2009 Amd. 1.\*

- Tap Holes:** Basin available in: 1 tap hole Code No.865715, 3 tap holes Code No.865735.
- Tapware - other than sole occupancy unit:** All electronic and basin care mixers referred to in section 19 comply to AS1428.1-2009 Amd. 1 installations other than sole occupancy unit when matched with this basin.
- Tapware - sole occupancy unit:** Recommended tapware for sole occupancy unit for compliance to AS1428.1-2009 Amd. 1; **Electronic Tapware:** Designo and Designo Solar. See section 19 for further details.
- Waste Outlet:** Chrome flush fitting waste and white plug supplied, suitable for a 40mm trap connection. Alternative waste options are available — Chrome grate waste and white plug Code No.687328C, Vandal Resistant Flush Fitting Plug and Chrome Waste Code No.687141, Covered Plug and Waste Code No.687142 and Vandal Resistant Covered Chrome Plug and Waste Code No.687143.
- Bowl Capacity:** 3 litres to overflow.
- Overflow:** Overflow available only.
- Colours:** White only.



# Caroma®

CI/SfB	(74.2)	g3
Date	October 2015	

Supersedes all previous issues

## Carboni II

**Vitreous China Wall Basin**

Nominal Size: 415mm x 415mm

# 1.03.1



# Carboni II




Tapware and bottle trap shown not included.

The **Carboni II** wall basin offers a contemporary square style with distinctive clean lines. This range adds timeless sophistication in any bathroom. The basin is suitable for domestic, commercial and ♿ accessible applications complying to AS 1428.1-2009 Amd. 1.\*

- Tap Holes:** Basin available in: One taphole Code No.865715; three tapholes Code No.865735.
- Waste Outlet:** The basin has been designed for the Caroma waste outlet suitable for a 40mm trap connection. Chrome flush fitting waste and white plug supplied. Alternative waste options are available — Plug & anti-vandal flush fitting chrome waste Code No.687141C; Plug & chrome grate waste Code No.687328C.
- Traps:** 40mm Caroma Plastic Long P-trap outlet centre Code No.102112; 40mm Modina bottle trap Code No.687290C; 40mm Eco bottle trap Code No.687295C.
- Bowl Capacity:** 3 litres to overflow.
- Overflow:** Overflow available only. Designed for maximum tap flow rate of 15 litres/minute.
- Fixing:** **D.200 Basin Fixing Kit** – Supplied. Bolts directly to the finished wall.
- Colours:** White only.
- Dimensions:** All dimensions are in millimetres and are subject to normal manufacturing variations. Caroma pursues a policy of continuing improvement in design and performance of its products. The right is therefore reserved to vary specifications without notice.

\*Basin does not comply to NZS4121.




## Carboni II

### Vitreous China Wall Basin

Basin Size: 415mm x 415mm (nominal)



Mixer is shown for photographic purposes only

The **Carboni II** wall basin offers a contemporary square style with distinctive clean lines. This range adds timeless sophistication in any bathroom. The basin is suitable for domestic, commercial and accessible applications  complying to AS 1428.1-2009 Amd. 1 using standard Caroma plastic traps.\*

- Tap Holes:** Basin available in: 1 tap hole Code No.865715, 3 tap holes Code No.865735.
- Waste Outlet:** Chrome flush fitting waste and white plug supplied, suitable for a 40mm trap connection. Alternative waste options are available — Chrome grate waste and white plug Code No.687328C, Vandal Resistant Flush Fitting Plug and Chrome Waste Code No.687141, Covered Plug and Waste Code No.687142 and Vandal Resistant Covered Chrome Plug and Waste Code No.687143.
- Bowl Capacity:** 3 litres to overflow.
- Overflow:** Overflow available only.
- Colours:** White only.
- Dimensions:** All dimensions are in millimetres and are subject to normal manufacturing variations. Caroma pursues a policy of continuing improvement in design and performance of its products. The right is therefore reserved to vary specifications without notice.

